

Subject Index

Volume 29, 1985

Contributor index on page 1063.

- Abscess**, subareolar of breast, FNAB in diagnosis and management, 942
- Acquired immune deficiency syndrome (AIDS)**
- Pneumocystis infection, cytodiagnosis on bronchoalveolar lavage specimens, 727
 - Cytologic findings, 926
 - Primary malignant lymphoma of brain, FNAC, 85
 - Role of bronchoalveolar lavage cytology, 953
- Actinomyces**, coexistence with *Entamoeba gingivalis* in sputum smears, 632
- Actinomyces israelii**, infection in IUD users, incidence, 111
- Adenocarcinoma**
- Cervical, role of cytology in diagnosis and follow-up, 785
 - Clear-cell of female urethra, urinary cytology, 142
 - Ductal of breast, morphometry of cells in effusions, 917
 - Endometrial, presence of histiocytes in the detection of, 317
 - Mesonephric of bladder, cytodiagnosis, 823
- Metastatic, EM**
- Distinction from mesothelioma in effusions, 219
 - In serous fluids, 202
 - Of cells in effusions, 226
- Ovarian**, morphometry of cells in effusions, 917
- Primary of renal pelvis**, exfoliative cytology, 1021
- Prostatic**, prostatic acid phosphatase staining of effusions, 274
- Pulmonary metastatic to adrenal**, FNA mimicking normal adrenal epithelium, 934, 994
- Pulmonary with coexisting *S. stercoralis***, sputum cytology diagnosis, 628
- Signet-ring of large bowel**, cytologic findings, 616
- Signet-ring-cell in serous effusions**, EM and LM and distinction from mesothelial cells, 211
- Stomach**, associated with pneumatosis cystoides gastrica, 147
- Adenolymphoma**
- FNAC, mast cells as a marker, 513
- Parotid gland**, FNABC, 503
- Adenoma**, pleomorphic
- Parotid gland, site of adenoid cystic carcinoma, FNAC, 522
 - Salivary glands, FNABC, 503
 - Trabecular of parotid gland, FNAC, 999
- Adenoma malignum**, endocervix, 185
- Adrenal gland**
- Metastatic pulmonary adenocarcinoma, mimicking normal adrenal epithelium on FNA, 934, 994
 - Myelolipoma, FNA, 863
- Aggregates**, lymphohistiocytic, significance in FNAC of benign lymph node hyperplasia, 554
- Alveolar soft-part sarcoma**, FNAC, 559
- Amyloid**
- Breast tumor, FNAB, 7
 - Cytologic detection, 916
- Amyloidosis**, tracheobronchial, cytology, 187
- Angiosarcoma**, pulmonary artery, exfoliative cytology, 624
- Antibodies**
- Monoclonal
 - Cytodiagnosis of small-cell carcinoma, 919
- Demonstration of GFAP in CNS**, 919
- Diagnosis and classification of pulmonary carcinomas**, 946
- FN aspirates of lung cancers**, 930
- For identification of CIN cells**, 920
- Immunocytochemistry of effusion in acute leukemia**, 67
- Staining of serotonin in cytologic samples of liver metastases of carcinoid tumors**, 1058
- Peroxidase-labeled staining**, CEA in cytologic specimens for LM and EM, 254
- Arachnia propionica**, infection in IUD users, incidence, 111
- Argyrophilia**, breast carcinoma, CHNAC, 1
- Artery**, pulmonary, angiosarcoma, 624
- Asbestos exposure**, sputum cytopathology in detection, 960
- Ascites**
- Agnogenic myeloid metaplasia, megakaryocytes, 89
 - Benign and malignant, immunoperoxidase assay of CEA and lysozyme, 57
 - Cytopathology of clear-cell hepatocellular carcinoma in, 911
 - Schistosoma japonicum* egg in smear, 651
- Aspergillosis of maxillary sinus**, coexistence with squamous carcinoma, cytodiagnosis, 73
- Aspergillus**, pulmonary infection, crystals in cytology specimens as a marker, 737
- Aspirates**
- Tracheobronchial, cytodiagnosis of HSV infection, 712

Subject Index

Volume 29, 1985

Contributor index on page 1063.

- Abscess**, subareolar of breast, FNAB in diagnosis and management, 942
- Acquired immune deficiency syndrome (AIDS)**
- Pneumocystis infection, cytodiagnosis on bronchoalveolar lavage specimens, 727
 - Cytologic findings, 926
 - Primary malignant lymphoma of brain, FNAC, 85
 - Role of bronchoalveolar lavage cytology, 953
- Actinomyces**, coexistence with *Entamoeba gingivalis* in sputum smears, 632
- Actinomyces israelii**, infection in IUD users, incidence, 111
- Adenocarcinoma**
- Cervical, role of cytology in diagnosis and follow-up, 785
 - Clear-cell of female urethra, urinary cytology, 142
 - Ductal of breast, morphometry of cells in effusions, 917
 - Endometrial, presence of histiocytes in the detection of, 317
 - Mesonephric of bladder, cytodiagnosis, 823
 - Metastatic, EM
 - Distinction from mesothelioma in effusions, 219
 - In serous fluids, 202
 - Of cells in effusions, 226
 - Ovarian, morphometry of cells in effusions, 917
 - Primary of renal pelvis, exfoliative cytology, 1021
 - Prostatic, prostatic acid phosphatase staining of effusions, 274
 - Pulmonary metastatic to adrenal, FNA mimicking normal adrenal epithelium, 934, 994
 - Pulmonary with coexisting *S. stercoralis*, sputum cytology diagnosis, 628
 - Signet-ring of large bowel, cytologic findings, 616
 - Signet-ring-cell in serous effusions, EM and LM and distinction from mesothelial cells, 211
 - Stomach, associated with pneumatosis cystoides gastrica, 147
- Adenolymphoma**
- FNAC, mast cells as a marker, 513
- Parotid gland, FNABC, 503**
- Adenoma**, pleomorphic
- Parotid gland, site of adenoid cystic carcinoma, FNAC, 522
 - Salivary glands, FNABC, 503
 - Trabecular of parotid gland, FNAC, 999
- Adenoma malignum**, endocervix, 185
- Adrenal gland**
- Metastatic pulmonary adenocarcinoma, mimicking normal adrenal epithelium on FNA, 934, 994
 - Myelolipoma, FNA, 863
- Aggregates**, lymphohistiocytic, significance in FNAC of benign lymph node hyperplasia, 554
- Alveolar soft-part sarcoma**, FNAC, 559
- Amyloid**
- Breast tumor, FNAB, 7
 - Cytologic detection, 916
- Amyloidosis**, tracheobronchial, cytology, 187
- Angiosarcoma**, pulmonary artery, exfoliative cytology, 624
- Antibodies**
- Monoclonal
 - Cytodiagnosis of small-cell carcinoma, 919
- Demonstration of GFAP in CNS, 919**
- Diagnosis and classification of pulmonary carcinomas, 946**
- FN aspirates of lung cancers, 930**
- For identification of CIN cells, 920**
- Immunocytochemistry of effusion in acute leukemia, 67**
- Staining of serotonin in cytologic samples of liver metastases of carcinoid tumors, 1058**
- Peroxidase-labeled staining, CEA in cytologic specimens for LM and EM, 254**
- Aracnia propionica**, infection in IUD users, incidence, 111
- Argyrophilia**, breast carcinoma, CHNAC, 1
- Artery**, pulmonary, angiosarcoma, 624
- Asbestos exposure**, sputum cytopathology in detection, 960
- Ascites**
- Agnogenic myeloid metaplasia, megakaryocytes, 89
 - Benign and malignant, immunoperoxidase assay of CEA and lysozyme, 57
 - Cytopathology of clear-cell hepatocellular carcinoma in, 911
 - Schistosoma japonicum* egg in smear, 651
- Aspergillosis of maxillary sinus**, coexistence with squamous carcinoma, cytodiagnosis, 73
- Aspergillus**, pulmonary infection, crystals in cytology specimens as a marker, 737
- Aspirates**
- Tracheobronchial, cytodiagnosis of HSV infection, 712

- Tracheal, cytology in respiratory distress syndrome, 923
- Aspirates, fine needle
Processing of cytology samples, 943
- Staining
Use of hematoxylin and eosin, 648
- Polyvalent fixative for, 647
- Aspiration biopsy/cytology, fine needle (FNA, FNAB, FNAC, FNABC)
- Acinic-cell carcinoma of parotid, 516
- Acinic-cell tumor, psammoma bodies in smears, 191
- Adenoid cystic carcinoma
Arising in pleomorphic adenoma of parotid gland, 522
- Metastases of pulmonary, 533
- Metastases of pulmonary, differential diagnosis, 527
- Adenolymphoma, mast cells as marker, 513
- Adenomatoid hyperplasia of salivary gland, 23
- Alveolar soft-part sarcoma, 559
- Amyloid tumor of breast, 7
- Argyrophilic breast carcinoma, 1
- Benign lymph node hyperplasias, significance of lymphohistiocytic aggregates, 554
- Bone tumors, 570
- Breast
Reparative changes, 943
- Statistical analysis, 943
- Statistical evaluation, 425
- Bronchioloalveolar-cell carcinoma of lung, 887
- Bronchogenic carcinoma, possible spread along needle tract, 167
- Cat scratch disease, 542
- Concurrent histology, 952
- Diagnosis
Inflammatory diseases, 928
- Inflammatory lesions, 979
- Malignant lymphoma, with immunoperoxidase confirmation, 895
- Tuberculosis, 732
- Disseminated cryptococcosis presenting as thyroiditis, 449
- Fibrolamellar hepatocellular carcinoma, 867
- Granulomatous cryptococcosis of lung, 157
- Granulomatous diseases of lung, 535
- Granulomatous prostatitis induced by BCG immunotherapy of bladder cancer, 961
- Gynecomastia, 948
- Kidney, 931
- Liver, 934
- Lung adenocarcinoma metastatic to adrenal, mimicking normal adrenal epithelium, 994
- Lymphoreticular tumors of thorax, 548
- Major salivary glands, 503
- Malacoplakia of colon and retroperitoneum, 457
- Malignant granular-cell tumor, 593
- Malignant islet-cell tumor of pancreas, 576
- Malignant melanoma, smear patterns, 983
- Malignant schwannoma, lung metastases, 15
- Management of gynecologic cancer, 949
- Mesenchymal tumors, 930
- Metastatic extraskeletal myxoid chondrosarcoma, 562
- Metastatic melanoma, morphologic analysis, 929
- Metastatic mixed adenosquamous carcinoma of renal pelvis, 580
- Myelolipoma of adrenal gland, 863
- Neuroblastoma, 461, 950
- Neuroendocrine carcinoma of pancreas, 442
- Nodular fasciitis, 562
- Nodular pulmonary sarcoidosis, 473
- Nontuberculous *Mycobacterium* infection of lung, 535
- Pancreas, 873
- Pancreas and liver, 951
- Pancreatic endocrine tumors, 957
- Pancreatic pseudocyst, fatal septic shock following, 879
- Pelvic nodes in management of bladder carcinoma, 37
- Primary epidermoid cyst of brain, 989
- Primary lymphoma of brain in AIDS, 85
- Primary mammary rhabdomyosarcoma, 430
- Primary neoplasms, diagnostic limitations, 487, 488, 489, 490, 491
- Proliferative fasciitis, 882
- Prostatic leiomyosarcoma, 170
- Pulmonary dirofilariasis, 19
- Pure primary squamous-cell carcinoma of breast, 640
- Radiolucent lesions of jaw, 419
- Renal oncocytoma, 33, 859
- Renal-cell carcinoma metastatic to thyroid, 856
- Salivary duct carcinoma of parotid, 454
- Salivary glands, 935, 942
- Secretory breast carcinoma in an adult, 589
- Small-cell undifferentiated carcinoma of lung, 951
- Solitary schwannoma, 12
- Solitary thyroid nodule, 967
- Specimen preparation, density gradient centrifugation, 933
- Specimen processing, plastic-embedded semi-thin sections, 477
- Spindle-cell carcinoma metastatic to rib, 435
- Subareolar abscess of breast, 942
- Subcutaneous endometriosis, 584
- Technique for *in vivo* maintenance of solid tumors in the animal model, 947
- Terminology, 193
- Thyroid, sources of diagnostic error, 953
- Thyroid nodules, 937
- Subsequent necrosis, 29
- Thyroid tumors, sensitivity and specificity, 850
- Thyrototoxic goiters, carbimazole-induced malignant-appearing changes, 173
- Trabecular adenoma of parotid gland, 999
- Tuberculous mastitis, 974
- Umbilical nodules, 948
- Astrocytoma, low-grade giant-cell, stereotactic biopsy, 469
- BCG immunotherapy, bladder cancer, FNAC of induced granulomatous prostatitis, 961
- "Big Mac," 910
- Bile cytology
Diagnosis of gallbladder carcinoma, 498
- Management of patients with biliary tract obstruction, 93

- Biliary tract, obstruction, bile cytology in management, 93
- Biopsy
- Needle, diagnosis of nonneoplastic liver diseases, 385
 - Stereotactic, low-grade giant-cell astrocytoma, 469
- Bladder, urinary
- Cancer
 - FCM versus urinary cytology in evaluation, 933
 - Urine eosinophilia, 187
 - Cancer with BCG immunotherapy, FNAC of induced granulomatous prostatitis, 961
 - Carcinoma, percutaneous pelvic node FNAC in management, 37
 - Carcinoma *in situ*, urinary cytology detection, 117
 - Mesonephric adenocarcinoma, cytodiagnosis, 823
 - Papilloma, cytology, 817
 - Signet-ring-cell (colloid) carcinoma, cytology of bladder washings, 132
 - Symptomatic cancer patients, quantitative fluorescence image analysis, 954
 - Transitional-cell carcinoma, acridine-orange FCM of bladder washings, 915
 - Tuberculosis, urinary cytology detection, 125
 - Tumors, diagnostic value of cytology of voided urine, 810
- Body cavity, effusions, ultrastructural studies, 226
- Bone
- Cytology of radiologically directed biopsies, 941
 - Ewing's sarcoma, FNA, 932
 - Primary lesions, FNAC, 954
 - Tumors, FNA cytodiagnosis, 570
- Bowel, large, signet-ring adenocarcinoma, cytologic findings, 616
- Brain
- Cytopathology of lesions sampled by CT-guided stereotaxic needle aspiration, 929
 - Primary epidermoid cyst, FNAC, 989
 - Primary malignant lymphoma in AIDS, FNAC, 85
 - Subarachnoid space, ependymal cyst, 44
- Breast
- Amyloid tumor, FNAB, 7
 - Argyrophilic carcinoma, FNAC, 1
 - Benign and malignant disease, quantitative study of duct cells, 917
 - Carcinoma, initial presentation in CSF, 909
 - Ductal adenocarcinoma, morphometry of cells in effusions, 917
 - FNA cytology
 - Statistical analysis, 943
 - Statistical evaluation, 425
 - Granular-cell tumor, cytology, immunohistochemistry and EM, 598
 - Gynecomastia, FNAC diagnosis, 948
 - Lesions, immuno-EM localization of CEA, 257
 - Masses, FNAB evaluation, 936
 - Papillary carcinoma, cytomorphic features, 931
 - Primary rhabdomyosarcoma, FNAB, 430
 - Pure primary squamous-cell carcinoma, FNAB diagnosis, 650
 - Reparative changes, FNA, 943
 - Secretory carcinoma in an adult, FNAC on biopsy specimen, 589
 - Subareolar abscess, FNAB in diagnosis and management, 942
 - Tuberculous mastitis, FNA cytology, 974
 - Tumors, progesterone-receptor assay in FN aspirates, 496
- Bronchial brushing
- Abrasive, diagnosis of pulmonary lesions, 101
 - Pulmonary oncocytoma, 620
- Bronchial washing
- Angiosarcoma of pulmonary artery, 624
 - Mesothelioma metastatic to lung, 79
- Bronchoalveolar lavage
- In cytodiagnosis of *Pneumocystis* infection in AIDS patients, 727
 - In diagnosis of *Pneumocystis* pneumonia, cell population obtained, 721
 - Significance of multinucleated cells, 189
 - Study of AIDS patients, 953
- Suspected opportunistic infections, cytology, 928
- Bronchopulmonary dysplasia, cytology of tracheal aspirates, 923
- Cancer
- Bladder, urine eosinophilia, 187
 - Bladder with BCG immunotherapy, FNAC of induced granulomatous prostatitis, 961
 - Cytogenetic diagnosis from body fluids, 768
 - Gynecologic, FNAC in management, 949
 - Lung, primary resectable, cytohistologic correlation, 49
 - Primary tubal, cytodiagnosis, 367
 - Carbimazole, treatment of thyrotoxic goiters, cytologic changes simulating malignancy, 173
 - Carcinoembryonic antigen (CEA)
 - Ascitic fluid, immunoperoxidase assay, 57
 - Assay in effusions, 938
 - In CSF, immunoperoxidase staining, 646
 - Localization patterns in mammary lesions, application of immuno-EM, 257
 - Peroxidase-labeled antibody staining of cytologic specimens for LM and EM, 254
- Carcinoid
- Metastatic to liver, monoclonal antibody staining for serotonin, 1058
 - Primary malignant of cervix, cytology, immunohistochemistry and EM, 1003
- Carcinoma
- Acinic-cell of parotid, FNAC, 516
 - Acinic-cell of salivary glands, FNAB, 503
 - Adenoid cystic
 - Arising in pleomorphic adenoma of parotid, FNAC, 522
 - FNAB, 503
 - FNAB of lung metastases, 527, 533
 - Argyrophilic of breast, FNAC, 1
 - Bladder, percutaneous pelvic node FNAC in management, 37
 - Bronchioloalveolar-cell of lung, FNAC, 887
 - Bronchogenic
 - Possible spread after transthoracic FNAB, 167

- Post-therapeutic pulmonary cytology monitoring, 924
- Cervical, mass screening in China, 341
- Cervical and vaginal, cytologic monitoring of response to therapy, 922
- Cervical microinvasive squamous, with concurrent pemphigus vulgaris, 403
- Choroid plexus, cytopathologic differential diagnosis, 846
- Fibrolamellar hepatocellular, 867
- Gallbladder, early diagnosis, 498
- Glassy-cell of uterine cervix, cytopathology and histopathology, 303
- Hepatocellular
- Clear-cell variant in ascitic fluid, 911
 - Fibrolamellar variant, 867
- In situ* of cervix with tuberculosis, cytodiagnosis, 87
- Invasive cervical, previous cytology in patients with, 108
- Lung, cytopathologic diagnosis and typing, 379
- Mammary, initial presentation in CSF, 909
- Metastatic, EM of cells in effusions, 226
- Metastatic mixed adenosquamous of renal pelvis, FNA, 580
- Neuroendocrine (Merkel-cell), cytology of metastases in pleural fluid, 397
- Neuroendocrine of pancreas, FNAC diagnosis, 442
- Nonpapillary *in situ* of bladder, urinary cytology detection, 117
- Pancreatic, mimicked by *Giardia lamblia* infection, 908
- Papillary of breast, cytomorphologic features, 931
- Pharyngeal, with microfilariae in brushing smears, 1009
- Pulmonary, monoclonal antibody in diagnosis and classification, 946
- Pure primary squamous-cell of breast, FNAB diagnosis, 650
- Renal-cell metastatic to thyroid, FNAC, 856
- Salivary duct of parotid, FNAB, 454
- Secretory of breast, FNAC on biopsy specimen, 589
- Signet-ring-cell (colloid) of bladder, cytology of bladder washings, 132
- Small-cell
- Monoclonal antibody used in cytodiagnosis, 919
 - Undifferentiated, FNAC, 951
- Spindle-cell, FNAB of rib metastases, 435
- Squamous-cell of maxillary sinus, coexistence with aspergillosis, 73
- Thymic, FNAB diagnosis with immunocytochemistry and EM, 938
- Transitional-cell of bladder, acridine-orange FCM of bladder washings, 915
- Upper gastrointestinal tract, cytodiagnosis of early and *in situ*, 269
- Urothelial *in situ*, cytodiagnosis on cystoscopic biopsy supernate, 923
- Well-differentiated neuroendocrine, cytodiagnosis, 925
- Carcinosarcoma, uterine, cytology and EM, 602
- Carpet beetles, larval parts in cervical smears, 345
- Cat scratch disease, FNAC of inguinal lymph node, 542
- Cells
- Atypical mononucleated, in CSF of patients with Sjögren's syndrome, 634
 - Benign and malignant mammary duct, quantitative study, 917
 - Endocervical columnar, indicator of quality of cervical smears, 323
 - Granulocytic sarcoma in pleural effusion, cytochemical identification, 63
 - Malignant exfoliated in serous fluids, identification of types and sites of primary tumors, 753
 - Mast, in FNAC differential diagnosis of adenolymphoma, 513
 - Mesothelioma, benign-appearing in serous effusion, 90
 - Obtained by bronchoalveolar lavage in *Pneumocystis pneumonia*, 721
- Signet-ring adenocarcinoma and mesothelial, LM and EM distinction in serous effusions, 211
- Vaginal, nucleoli in hyperestrogenism and hypoestrogenism, 642
- Cellules grumelées, marker of chronic lymphocytic leukemia or well-differentiated lymphocytic lymphoma in pleural effusions, 775
- Central nervous system
- GFAP in specimens, demonstration by monoclonal antibody staining, 919
 - Lesions, crush preparations, 279
- Centrifugation, density gradient, preparation of FNAB specimens, 933
- Cerebrospinal fluid
- CEA content, immunoperoxidase staining, 646
- Choroid plexus carcinoma, cytopathologic differential diagnosis, 846
- Cryptococcus neoformans* in, cytologic detection, 151
- Inflammatory conditions, unusual presentations, 291
- Initial presentation of breast carcinoma, 909
- Malignant lesions in, cytodiagnosis, 286
- Method for EM study of cells, 484
- Polymorphous exudates and atypical mononucleated cells in Sjögren's syndrome, 634
- Storage at room temperature, 188
- Viral meningoencephalitis, cytology and EM, 927
- Cervicitis, chlamydial, cytologic detection, 151
- Cervix
- Adenocarcinoma, role of cytology in diagnosis and follow-up, 785
 - Carcinoma, mass screening in China, 341
 - Chlamydia trachomatis* infection
 - Cytologic features, 676
 - Cytomorphology and immunocytochemistry in smears, 683

- Identification in cervical smears, 939
- Immunoperoxidase confirmation in Papanicolaou-stained smears, 665
- Papanicolaou-stained smear in the diagnosis, 671
- Condyloma acuminatum*
- Incidence over ten-year interval, 936
- SEM appearance, 492
- Cytology specimens, carpet beetle larval parts in, 345
- Electrocoagulation, accompanying cytologic phenomena, 353
- Epithelial abnormalities, relationship of diagnosis to smear composition, 323
- Glassy-cell carcinoma, cytopathology and histopathology, 303
- HPV infection
- Confirmation by immunoperoxidase technique, 695
- Immunoperoxidase detection in smears, 701, 705
- Incidence detected in cytologic specimens, 363
- Reproducibility of cytologic diagnosis, 692
- Incidence neoplasia, association with HPV and *Chlamydia* infections, 653
- Intraepithelial neoplasia
- Association with condylomatous lesions, 334
- Demonstration by monoclonal antibody staining, 920
- Evaluation of interferon treatment, 192
- Relationship of progression to *Chlamydia* infection, 661
- Screening optimal intervals and error rates, 323
- Superficial endometrial involvement, 411
- Invasive carcinoma, previous cytology in patients with, 108
- Malignant lymphoma, cytology and immunocytochemistry, 607
- Malignant melanoma metastatic to, cytology, 612
- Microinvasive squamous carcinoma with concurrent pemphigus vulgaris, cytology, 403
- Primary malignant carcinoid, cytology, immunohistochemistry and EM, 1003
- Tuberculosis with carcinoma *in situ*, cytodiagnosis, 87
- Charcot-Leyden crystals
- In eosinophilic pleural effusion, 906
- In pleural effusions, 781
- Chlamydia trachomatis*
- Association with incidence cervical neoplasia, 653
- Cervical infections, cytomorphology and immunocytochemistry in smears, 683
- Cervicitis, cytologic features, 676, 927
- Cytologically detected, relationship with progression of CIN, 661
- Diagnosis in Papanicolaou-stained cervical smears, 671
- Direct fluorescent antibody test, 952
- Immunoperoxidase confirmation in Papanicolaou-stained cervical smears, 665
- Immunoperoxidase staining on Papanicolaou-stained smears, 903
- In cervical smears, system for identification, 939
- Infantile conjunctivitis, comparison of staining methods, 926
- Chondrosarcoma, metastatic extraskeletal myxoid, FNABC and differential diagnosis, 562
- Choroid plexus, carcinoma, cytopathologic differential diagnosis, 846
- Chromatin, heavy clumping, marker of chronic lymphocytic leukemia and well-differentiated lymphocytic lymphoma in pleural effusions, 775
- Colitis, chronic ulcerative, colorectal cytology, 262
- Colon, malacoplakia, role of FNAB in diagnosis and management, 457
- Colorectal cytology, chronic ulcerative colitis, 262
- Condyloma acuminatum*
- Association with CIN, 334
- Cervical
- Incidence over a ten-year interval, 936
- SEM appearance, 492
- Diagnosis in cervicovaginal smears, 944
- Conjunctivitis, infantile chlamydial, staining methods for, 926
- Crush preparations, CNS lesions, adjunct to frozen sections, 279
- Cryptococcus neoformans*
- Cytologic detection in CSF, 151
- Disseminated presenting as thyroiditis, FNA, 449
- Granulomatous infection of lung, FNAC, 157, 535
- Unsuspected pulmonary infection, sputum cytology diagnosis, 154
- Crystalline bodies, cervicovaginal smears, cytochemical and immunochemical studies, 1035
- Crystals
- Birefringent needlelike in pulmonary cytology specimens, marker for *Aspergillus* infection, 737
- Charcot-Leyden
- In eosinophilic pleural effusion, 906
- In pleural effusions, 781
- Curschmann's spirals, equine endometrial washings, 186
- Cyst
- Ependymal of subarachnoid space, cytologic diagnosis, 44
- Primary epidermoid of brain, FNAC, 989
- Cytochemistry (see also immunocytochemistry)
- Differentiation of common acute lymphoblastic leukemia from other subtypes, 842
- Pleural effusion in granulocytic sarcoma, identification of neoplastic cells, 63
- Cytodiagnosis
- Amelanotic melanoma, 498
- Cervical HPV infection, reproducibility, 692
- Cervical epithelial abnormalities, relationship to smear composition, 323
- Early and *in situ* carcinoma of upper GI tract, 269
- Gynecologic, retrospective evaluation,

- tion of interlaboratory reproducibility, 921
Immunoperoxidase, HSV keratitis, 708
Malignant lesions in CSF, cytohistologic correlation, 286
Malignant mixed mesodermal tumor, endometrial, 137
Mesonephric adenocarcinoma of bladder, 823
Oral pemphigus vulgaris, 746
Peritoneal washings in ovarian tumors, potential sources of error, 310
Pneumocystis infection in AIDS patients, use of bronchoalveolar lavage, 727
Primary tubal cancer, 367
Small-cell carcinoma, use of monoclonal antibody, 919
Subarachnoid ependymal cyst, 44
TB and carcinoma *in situ* of cervix, 87
Cytogenetics, diagnosis of cancer from body fluids, 768
Cytohistologic correlation
Malignant lesions in CSF, 286
Primary resectable lung cancer, 49
Cytochemical studies, influence of postnatal maternal factors, 800
Cytologic detection
Cryptococcus neoformans in CSF, rapid screening methods, 151
Failure, cases with subsequent invasive cervical carcinoma, 108
Cytology
Bladder papilloma, 817
Carcinosarcoma of uterus, 602
Cervical, false-negative results, 1043
Chlamydial cervicitis, features, 676
Colorectal, chronic ulcerative colitis, 262
Concurrent pemphigus vulgaris and microinvasive squamous carcinoma of the cervix, 403
Effusion caused by rupture of benign cystic teratoma into serous cavity, 1015
Electron microscopy in, 195
Evaluation of effusions, 915
Exfoliative
Angiosarcoma of pulmonary artery, 624
Malignant granular-cell tumor, 593
Primary adenocarcinoma of renal pelvis, 1021
Granular-cell tumor of breast, 598
Gynecologic
Comparison of quality assurance methods, 941
Monitoring response to therapy for carcinoma, 922
Gynecologic screening, results of voluntary self-assessment, 921
Intrauterine, detection of endometrial involvement by CIN, 411
Lung, definition of accuracy, 184
Malignant lymphoma of cervix, 607
Malignant melanoma metastatic to cervix, 612
Neuroendocrine (Merkel-cell) carcinoma, pleural fluid, 397
Preoperative, carcinoma and aspergillosis of maxillary sinus, 73
Previous, patients with invasive cervical carcinoma, 108
Pulmonary, crystals as a marker of *Aspergillus* infection, 737
Role in diagnosis and follow-up of patients with cervical adenocarcinoma, 785
Signet-ring adenocarcinoma of large bowel, 616
Tracheobronchial amyloidosis, 187
Cytomorphology
Chlamydial infections in cervical smears, 683
Common acute lymphoblastic leukemia, differentiation from other subtypes, 842
Cytopathology
Choroid plexus carcinoma, 846
Clear-cell hepatocellular carcinoma in ascitic fluid, 911
Glassy-cell carcinoma of uterine cervix, 303
Lung carcinoma, diagnosis and typing, 379
Microcomputer system for, 946
Quality-control system, 939
Reactions to ventricular shunts, 391
Cytophotometry, Feulgen, evaluation of effusions, 915
Cytopreparation
FN aspirates, 943
Mending broken slides, 495
Dirofilaria immitis, lung, FNAB, 19
Diseases
Inflammatory, FNA diagnosis, 928
Nonneoplastic liver, needle biopsy, 385
Von Recklinghausen's, malignant Schwannoma metastatic to lung, 15
Effusions
Benign versus malignant, differentiation by lectin immunocytochemistry, 916
Body cavity, ultrastructural studies, 226
CEA in, 938
Cytologically positive in prostatic adenocarcinoma, prostatic acid phosphatase immunoperoxidase staining, 274
Cytology, FCM and Feulgen cytophotometry in evaluation, 915
Eosinophilic pleural, Charcot-Leyden crystals in, 906
Malignant, EM distinction of mesothelioma and adenocarcinoma, 219
Malignant cells in, identification of types and primary sites of tumors, 753
Mammary and ovarian adenocarcinoma, morphometry of cells, 917
Non-Hodgkin's lymphomatous, classification, 918
Pleural
Cytodiagnosis of chronic lymphocytic leukemia and well-differentiated lymphocytic lymphoma, 775
Granulocytic sarcoma, cytochemistry of neoplastic cells, 63
Pleural and peritoneal, cytodagnosis of malignant neoplasms, 924
Positive cytology as a primary presentation of malignancy, 925
Rheumatoid pleural, TEM and SEM evaluation, 239

- Rupture of benign cystic teratoma, cytologic findings, 1015
- Serous**
- Benign-appearing mesothelioma cells, CEA localization in mammary lesions, 257
 - Cytogenetic diagnosis of cancer in, 768
 - EM/LM of signet-ring adenocarcinoma versus mesothelial cells, 211
 - Immunocytochemical diagnosis of lymphoma in, 827
- Electrocoagulation, cervical, accompanying cytologic phenomena, 353
- Electron microscopy (EM) (*see also* ultrastructure)
- Adenocarcinoma versus mesothelioma, distinction in malignant effusions, 219
 - Cells in body cavity effusions, 226
 - Ciliary microtubules in Kartagener's syndrome, 248
 - CSF cells, improved preparatory method, 484
 - Immuno-, CEA localization in mammary lesions, 257
 - Metastatic adenocarcinoma in fluids
 - Distinction of cells from mesothelial cells, 211
 - Identification of primary site, 202
 - Peroxidase-labeled antibody staining for demonstration of CEA, 254
 - Primary malignant carcinoid of cervix, 1003
 - Pulmonary oncocyoma, 620
 - Role in cytology, 195
 - Scanning, appearance of condylo-ma acuminatum, 492
 - Transmission, improved technique for cytologic material, 179
 - Transmission and scanning, evaluation of rheumatoid pleural effusion, 239
- Endocervix, smear for determination of ovulation, 638
- Endometrial sampling, Endopap Sampler, criteria for cytologic assessment of hyperplasias, 297
- Endometrial washings, horses, Curschmann's spirals in, 186
- Endometriosis, subcutaneous, FNAC diagnosis, 584
- Endometrium
- Adenocarcinoma, presence of histiocytes in the detection of, 317
 - Equine, Curschmann's spirals in washings, 186
 - Hyperplasia, assessment in Endopap Sampler specimens, 297
 - Malignant mixed mesodermal tumor, cytodiagnosis, 137
 - Superficial involvement by CIN, detection by intrauterine cytology, 411
- Endopap Endometrial Sampler, samples obtained with, criteria for cytologic assessment of hyperplasias, 297
- Entamoeba gingivalis*, detection by sputum cytology, 632
- Entamoeba histolytica*, cytologic demonstration using an immunoperoxidase technique, 414
- Enterobius vermicularis*, ova in cervicovaginal smears, 913
- Eosinophilia, urinary, in bladder cancer, 187
- Ependymomas, ovarian and omental, peritoneal washing cytology, 957
- Error rates, detection of CIN III, 323
- Expectoration, provoked, value in sputum cytology, 750
- Exudates, polymorphous, in CSF of patients with Sjögren's syndrome, 634
- Eye, HSV keratitis, immunoperoxidase cytodiagnosis, 708
- Fallopian tube, cancer, cytodiagnosis, 367
- False-negatives, in cervical cytology, 1043
- Fasciitis
- Nodular, FNAC, 562
 - Proliferative, FNA, 882
- Fatality, septic shock, following FNA of pancreatic pseudocyst, 879
- Female genital tract, HPV-related neoplasia, 905
- Fixative, polyvalent, for staining of FN aspirates, 647
- Flow cytometry (FCM)
- Acridine-orange
 - Classification of non-Hodgkin's lymphomas in effusions, 918
- Washings of transitional-cell carcinoma of bladder, 915
- Bladder cancers, comparison with urinary cytology, 933
- Evaluation of effusions, 915
- With cytologic correlation, processing of urine specimens for, 945
- Fluids (*see also* effusions)
- Ascitic, clear-cell hepatocellular carcinoma in, 911
 - Body, cytogenetic diagnosis of cancer in, 768
 - Malignant serous, identification of types and primary sites of tumors, 753
 - Peritoneal, immunoperoxidase assay of CEA and lysozyme, 57
 - Pleural, 1011
 - Charcot-Leyden crystals, 781
 - Cytology of neuroendocrine carcinoma metastases in, 397
 - Serous, EM of metastatic adenocarcinoma in, 202
- Gallbladder, carcinoma, early diagnosis, 498
- Gastrointestinal tract, upper, early and *in situ* carcinoma, cytodiagnosis, 269
- Giardia lamblia*, infection mimicking pancreatic carcinoma, 908
- Glial fibrillary acidic protein (GFAP), demonstration in CSF by monoclonal antibodies, 919
- Goiters, thyrotoxic treated with carbimazole, cytologic changes simulating malignancy, 173
- Granulomas
- Epithelioid, FNAB diagnosis of tuberculosis, 732
 - Lymph node in cat scratch disease, FNAC, 542
 - Pulmonary cryptococcosis, FNAC, 157
- Granulomatous diseases, lung, FNAC, 535
- Granulomatous lesions, FNABC, 979
- Gynecomastia, FNAC diagnosis, 948
- Hematin, crystals in cervicovaginal smears, 1029
- Herpes simplex virus (HSV)
- Cervicovaginal infection
 - Immunoperoxidase detection in smears, 705

- Immunoperoxidase diagnosis in routine smears, 701
- Congenital infection, cytodiagnosis on tracheobronchial aspirate, 712
- Genital infection, confirmation by immunoperoxidase technique, 695
- Keratitis, immunoperoxidase cytodiagnosis, 708
- Herpesvirus, cervical infection, incidence detected in cytologic specimens, 363
- Histiocytes, presence in cervicovaginal smears, significance in the detection of endometrial adenocarcinoma, 317
- Histoplasma capsulatum*, granulomatous infection of lung, FNAC, 535
- Horses, endometrium, Curschmann's spirals in washings, 186
- Hybridization studies, HPV in cervicovaginal smears, 920
- Hyperestrogenism and hypoestrogenism, nucleoli in vaginal cells, 642
- Hyperplasia
 - Benign lymph node, FNAC significance of lymphohistiocytic aggregates, 554
 - Endometrial, assessment in Endopap Sampler specimens, 297
 - Focal adenomatoid of salivary glands, FNAB, 23
- Image analysis, quantitative fluorescence, symptomatic bladder cancer patients, 954
- Immuno-electron microscopy, CEA localization in mammary lesions, 257
- Immunocytochemistry
 - Chlamydial infections in cervical smears, 683
 - Diagnosis of lymphoma
 - From urinary sediment, 827
 - In serous effusions, 827
 - Differentiation of common acute lymphoblastic leukemia from other subtypes, 842
 - Lectin, differentiation of benign and malignant effusions, 916
 - Malignant lymphoma of cervix, 607
 - Pleural effusion of acute leukemia, diagnosis of, 67
- Immunofluorescence
 - Diagnosis of oral pemphigus vulgaris, 746
 - Identification of *Actinomyces* in IUD Users, 111
- Immunohistochemistry
 - Detection of intermediate filaments, 958
 - Granular-cell tumor of breast, 598
 - Primary malignant carcinoid of cervix, 1003
- Immunology, classification of non-Hodgkin's lymphomas in effusions, 918
- Immunoperoxidase
 - Application on Papanicolaou-stained smears for confirmation of *Chlamydia* infection, 665, 903
 - Confirmation
 - Congenital HSV infection, 712
 - Genital HSV infection, 695
 - Malignant lymphoma in FN aspirates, 895
 - Cytodiagnosis of HSV keratitis, 708
 - Detection of HSV infection in cervicovaginal smears, 705
 - Diagnosis of HSV infection in routine smears, 701
- Indirect
 - Assay of CEA and lysozyme in ascites, 57
 - Demonstration of *Entamoeba histolytica*, 414
 - Staining for CEA in CSF, 646
 - Study of time and fixative, 959
- Inclusions, intranuclear, urinary cytology, 935
- Infant, congenital HSV infection, cytodiagnosis on tracheobronchial aspirate, 712
- Infarct, pulmonary, FNAC, 162
- Infections
 - Actinomyces, incidence in IUD users, 111
 - Suspected opportunistic, cytology of bronchoalveolar lavage specimens, 928
- Inflammatory lesions, FNABC, 979
- Inflammatory reactions
 - Unusual presentations in CSF, 291
 - Ventricular shunts, cytopathology, 391
- Interferon, treatment of CIN, evaluation, 192
- Intermediate filaments, immunohistochemical detection in cytodiagnosis, 958
- Intrauterine contraceptive devices, actinomyces infection in users, incidence, 111
- Jaw, radiolucent lesions. FNAB diagnosis, 419
- Kartagener's syndrome, transposed ciliary microtubules in, EM study in bronchial and nasal brushings, 248
- Keratitis, HSV, immunoperoxidase cytodiagnosis, 708
- Kidney
 - FNA, 931
 - Injury associated with polyomavirus infection, 555
 - Metastatic mixed adenosquamous carcinoma, FNA, 580
 - Oncocytoma, FNAB, 33
 - Primary adenocarcinoma of pelvis, exfoliative cytology, 1021
 - Renal oncocytoma, FNAB, 859
 - Renal-cell carcinoma, metastases to thyroid, 856
- Lavage (see bronchoalveolar lavage)
- Leiomyosarcoma, prostatic, FNAC, 170
- Lesions
 - Central nervous system, crush preparations, 279
 - Condylomatous, association with CIN, 334
 - Gynecologic uncommon, differential diagnosis, 940
 - Inflammatory, FNABC, 979
 - Malignant in CSF, cytodiagnosis, 286
 - Mammary, immuno-EM localization of CEA, 257
 - Oral, cytodiagnosis of pemphigus vulgaris, 746
 - Pulmonary
 - Diagnosis by abrasive bronchial brushing cytology, 101
 - Screw-needle smear preparations, 1047
 - Radiolucent of jaw, FNAB diagnosis, 419
- Leukemia
 - Acute with pleural involvement, immunocytochemical diagnosis, 67
 - Chronic lymphocytic, cytodiagnosis in pleural effusions, 775
 - Common acute lymphoblastic, cytomorphic and cyto-

- chemical differentiation, 842
- Leukoencephalopathy, multifocal, cytologic findings, 955
- Light microscopy
- Metastatic adenocarcinoma in effusions, distinction of cells from mesothelial cells, 211
 - Peroxidase-labeled antibody staining for demonstration of CEA, 254
- Liver
- FNA, 934
 - FNAC, cytomorphology and radiologic techniques, 951
 - Hepatocellular carcinoma, fibrolamellar variant, 867
 - Metastatic neuroendocrine tumors
 - Application of silver stains, 1053
 - Monoclonal antibody staining for serotonin, 1058
 - Nonneoplastic diseases, needle biopsy, 385
- Lung
- Adenocarcinoma with unsuspected *Strongyloides*, sputum cytology diagnosis, 628
 - Adenoid cystic carcinoma metastases
 - FNABC, 533
 - FNAC distinction from primary small-cell neoplasms, 527
 - Angiosarcoma of artery, exfoliative cytology, 624
 - Bronchial brushings, cytology of amyloidosis, 187
 - Bronchioloalveolar-cell carcinoma, FNAC, 887
 - Bronchoalveolar lavage, significance of multinucleated cells, 189
 - Bronchogenic carcinoma, posttherapeutic pulmonary cytology monitoring, 924
 - Cancer, primary resectable, cytohistologic correlation, 49
 - Cancers, monoclonal study of FN aspirates, 930
 - Carcinoma
 - Cytopathologic diagnosis and typing, 379
 - Possible spread along FNAB needle tract, 167
 - Cryptococcus*
 - Granulomatous, FNAC, 157
 - Unsuspected, sputum cytology diagnosis, 154
- Cytology, definition of accuracy, 184
- Cytology specimens, crystals as a marker of *Aspergillus* infection, 737
- Dirofilariasis, FNAB, 19
- Granulomatous diseases, FNAC, 535
- Lesions
- Diagnosis by abrasive bronchial brushing cytology, 101
 - Screw-needle smear preparations, 1047
- Infarct, FNAC, 162
- Lymphoreticular tumors, FNAB evaluation, 548
- Metastatic malignant schwannoma, FNABC, 15
- Metastatic mesothelioma of tunica vaginalis, bronchial washing cytology, 79
- Nodular sarcoidosis, FNAB diagnosis, 473
- Nontuberculous *Mycobacterium* infection, FNAC, 535
- Oncocytoma, cytology, histology and EM, 620
- Premalignant atypias, use of visual cell profiles in study of sputum, 373
- Small-cell undifferentiated carcinoma, FNAC, 951
- Sputum cytology, value of provoked expectoration, 750
- Lymph nodes
- Benign hyperplasias, FNAC significance of lymphohistiocytic aggregates, 554
 - Cat scratch disease, FNAC, 542
 - Lymphoproliferative disorders, cell surface marker analysis, 956
 - Pelvic, FNAC in management of bladder carcinoma, 37
- Lymphadenopathy, benign, cytologic features and differential diagnosis, 940
- Lymphoma
- Lung and mediastinum, FNAB evaluation, 548
 - Malignant, FNA diagnosis with immunoperoxidase confirmation, 895
 - Malignant of uterine cervix, cytology and immunocytochemistry, 607
 - Non-Hodgkin's, classification in effusions, 918
- Primary malignant of brain in AIDS, FNAC, 85
- Serous effusions in disseminated, immunocytochemical diagnosis, 827
- Urinary tract involvement, immunocytochemical diagnosis, 827
- Well-differentiated lymphocytic, cytodiagnosis in pleural effusions, 775
- Lymphoproliferative disorders, analysis of cell surface markers, 956
- Lysozyme, ascitic fluid, immunoperoxidase assay, 57
- Macronucleolus, definition, 910
- Malacoplakia, colonic and retroperitoneal, role of FNAB in diagnosis and management, 457
- Markers, cell surface, analysis in lymphoproliferative disorders, 956
- Masses, breast, FNAB evaluation, 936
- Mastitis, tuberculous, FNA cytomorphology, 974
- Mediastinum
- Benign cystic teratoma, effusion from rupture into serous cavity, 1015
 - Lymphoreticular tumors, FNAB evaluation, 548
- Medical meetings, presentation of papers, 197
- Megakaryocytes, ascitic fluid, agnogenic myeloid metaplasia, 89
- Melanoma
- Amelanotic, cytodiagnosis, 498
 - Malignant, FNAC smear patterns, 983
 - Malignant metastatic to cervical polyp, 612
 - Metastatic, FNAB and morphologic analysis, 929
 - Metastatic malignant, urinary cytology, 1026
- Melanuria, urinary cytology findings, 1026
- Meningoencephalitis, viral in CSF, cytology and EM, 927
- Menopause, vaginal and oral cytology, 805
- Merkel-cell carcinoma, metastases in

- pleural fluid, cytology, 397
- Mesenchyma, lesions, FNAC, 930
- Mesothelioma
 - Malignant
 - Computerized morphometry in biopsies and effusions, 953
 - EM distinction from adenocarcinoma in effusions, 219
 - Tubulopapillary epithelial, benign-appearing cells in serous effusion, 90
 - Tunica vaginalis, bronchial washing cytology of lung metastases, 79
- Mesothelium
 - Benign and malignant cells, EM in effusions, 226
 - Cells in effusions, distinction from signet-ring adenocarcinoma cells, 211
- Metaplasia, agnogenic myeloid, megakaryocytes in ascitic fluid, 89
- Metastases
 - Adenocarcinoma
 - EM in malignant effusions, 219
 - EM in serous fluids, 202
 - Adenoid cystic carcinoma to lung FNABC, 533
 - FNAC distinction from primary small-cell neoplasms, 527
 - Carcinoid tumors to liver, monoclonal antibody staining for serotonin, 1058
 - Lung, malignant schwannoma, 15
 - Malignant cells in serous effusions, identification of types and primary sites of tumors, 753
 - Mesothelioma of tunica vaginalis to lung, bronchial washing cytology, 79
 - Neuroendocrine carcinoma in pleural fluid, cytology, 397
 - Neuroendocrine tumors to liver, application of silver stains, 1053
 - Pulmonary adenocarcinoma to adrenal, FNA mimicking normal adrenal epithelium, 994
 - Renal-cell carcinoma to thyroid, FNAC, 856
 - Signet-ring adenocarcinoma, EM and LM in serous effusions, 211
 - Spindle-cell carcinoma to rib, FNAB, 435
- Microcomputer, reporting and storing of cytopathologic data, 946
- Microfilariae, in brushing smears from case of pharyngeal carcinoma, 1009
- Microscope, adjustable stand, 500
- Microtubules, transposed ciliary, EM study of brushings in Kartagener's syndrome, 248
- Molluscum contagiosum, diagnosed in cytologic smear, 501
- Morphometry
 - Cells of mammary and ovarian adenocarcinoma in effusions, 917
 - Classification of non-Hodgkin's lymphomas in effusions, 918
 - Computerized interactive, malignant mesothelioma, 953
- Mouth
 - Cytology during menopause, 805
 - Pemphigus vulgaris, cytodiagnosis, 746
- Mycobacterium kansasii*, nontuberculous infection of lung, FNAC of granulomatous lesions, 535
- Mycobacterium tuberculosis*, FNAB diagnosis, 732
- Mycosis fungoides, FNA and respiratory cytology diagnosis, 944
- Myelolipoma, adrenal gland, FNA, 863
- Myeloma, multiple role and prognostic significance of exfoliative cytology, 935
- Necrosis, thyroid nodules after FNA, 29
- Neoplasia
 - Cervical intraepithelial
 - Association with condylomatous lesions, 334
 - Demonstration by monoclonal antibody staining, 920
 - Evaluation of interferon treatment, 192
 - Relationship of progression to *Chlamydia* infection, 661
 - Screening optimal intervals and error rates, 323
 - Superficial endometrial involvement, 411
 - HPV-related, female genital tract, 905
 - Incidence cervical, association with HPV and *Chlamydia* infections, 653
- Neoplasms
 - Malignant, cytodiagnosis in effusions, 924
 - Primary, diagnostic limitations of FNAC, 487, 488, 489, 490, 491
 - Thymic, FNAB diagnosis with immunocytochemistry and EM, 938
- Neuroblastoma
 - FNAB diagnosis, 461
 - FNAC diagnosis, 950
- Neuroendocrine carcinoma
 - Metastases in pleural fluid, cytology, 397
 - Pancreatic, FNAC diagnosis, 442
 - Well-differentiated, cytodiagnosis, 925
- Neuroendocrine neoplasms, cytologic appearance, 958
- Neuroendocrine tumors, metastatic to liver
 - Application of silver stains, 1053
 - Monoclonal antibody staining for serotonin, 1058
- Nodules, thyroid
 - FNAB as initial diagnostic procedure, 937
 - FNABC, 949
 - FNAC study of solitary, 967
 - Necrosis after FNA, 29
- Notice to contributors, 745
- Nucleoli, vaginal cell, hyperestrogenic and hypoestrogenic women, 642
- Obstruction, biliary tract, bile cytology in management, 93
- Oncocytoma
 - Pulmonary, cytology, histology and EM, 620
 - Renal, FNAB, 33, 859
- Ovary
 - Adenocarcinoma, morphometry of cells in effusions, 917
 - Tumors, error sources in cytodiagnosis of peritoneal washings, 310
 - Tumors of low malignant potential, cytologic features, 960
- Ovulation, endocervical smear for determination of, 638
- Pancreas
 - Endocrine tumors, FNA, 957
 - FNA of pseudocyst, fatal septic shock following, 879

- FNAC, 873
 Cytomorphology and radiologic techniques, 951
Giardia lamblia infection, mimicking carcinoma, 908
 Malignant islet-cell tumor, FNAB, 576
 Neuroendocrine carcinoma, FNAC diagnosis, 442
 Papers, presented at medical meetings, 197
 Papilloma, bladder, cytology, 817
 Papillomavirus, human (HPV)
 Association with incidence cervical neoplasia, 653
 Cervical infection, reproducibility of cytologic diagnosis, 692
 Hybridization studies in cervicovaginal smears, 920
 Related to neoplasia of female genital tract, 905
 Parotid gland
 Acinic-cell carcinoma, FNAC, 516
 Acinic-cell tumor, psammoma bodies in FNAC smears, 191
 Adenoid cystic carcinoma arising in pleomorphic adenoma, FNAC, 522
 Adenolymphoma, FNABC, 503
 Salivary duct carcinoma, FNAB, 454
 Trabecular adenoma, FNAC, 999
 Pemphigus vulgaris
 Cervical, with concurrent microinvasive squamous carcinoma, 403
 Oral, cytodagnosis, 746
 Pericarditis, unusual benign, 947
 Peripheral nerves, solitary schwannoma, FNAC, 12
 Peritoneal washing cytology, gynecologic disease, cytohistologic correlation, 922
 Peritoneal washings
 Ovarian and omental ependymomas, 957
 Ovarian tumors, sources of error in cytodagnosis, 310
 Pharynx, carcinoma, with microfilariæ in brushing smears, 1009
 Pleura
 Involvement by acute leukemia, immunocytochemical diagnosis, 67
 Involvement by granulocytic sarcoma, cytochemical identification of neoplastic cells, 63
 Pleural fluid cytology, invasive thymoma, 1011
 Floidy, cells and tissues, 645
 Pneumatosis cystoides gastrica, associated with adenocarcinoma of stomach, 147
Pneumocystis carinii
 Pneumonia in AIDS patients, cytodagnosis on bronchoalveolar lavage specimens, 727
 Pneumonitis, cell population obtained by bronchoalveolar lavage, 721
 Recognition in routine Papanicolaou-stained smears, 714
 Pneumonia/pneumonitis,
 In AIDS patients, cytodagnosis on bronchoalveolar lavage specimens, 727
Pneumocystis carinii, cell population obtained by bronchoalveolar lavage, 721
 Polyomavirus, renal injury associated with, 955
 Preparatory techniques, FNAB specimens, Ficoll-Paque density gradient centrifugation, 933
 Presentations, oral, papers at medical meetings, 197
 Progesterone receptor, assay in FN aspirates of breast tumors, 496
 Prostate
 Adenocarcinomatous effusions, prostatic acid phosphatase staining, 274
 Leiomyosarcoma, FNAC, 170
 Prostatic acid phosphatase, staining of cytologically positive effusions associated with prostatic adenocarcinoma, 274
 Prostatitis, BCG-induced granulomatous, FNAC, 961
 Psammoma bodies, FNAC smears of acinic-cell tumors, 191
 Pseudocyst, pancreatic, fatal septic shock following FNA, 879
 Pseudomyxoma peritonei, cytopathology, 925
 Pseudosarcoma, metastatic to rib, FNAB, 435
 Quality control
 Comprehensive system for cytopathology, 939
 Gynecologic cytology, comparison of methods, 941
 Relapse, peripheral, common acute lymphoblastic leukemia with cytodagnosis, 842
 Respiratory distress syndrome, cytology of tracheal aspirates, 923
 Retroperitoneum, malacoplakia, role of FNAB in diagnosis and management, 457
 Rhabdomyosarcoma, primary mammary in adolescent, FNABC, 430
 Rheumatoid disease, pleural effusion, TEM and SEM evaluation, 239
 Rib, metastases of spindle-cell carcinoma, FNAB, 435
 Salivary glands (see also parotid gland)
 Acinic-cell carcinoma, FNAC, 516
 Acinic-cell tumor, psammoma bodies in FNAC smears, 191
 Adenolymphoma, mast cells as a marker in FNA specimens, 513
 FNA, 935
 FNAB, 942
 Major, FNABC, 503
 Minor, focal adenomatoid hyperplasia, FNAB, 23
 Sarcoidosis
 Bronchoalveolar lavage, significance of multinucleated cells, 189
 Nodular pulmonary, FNAB diagnosis, 473
 Sarcoma
 Alveolar soft-part, FNAC, 559
 Ewing's of bone, FNA, 932
 Granulocytic with pleural involvement, cytochemistry of resulting effusion, 63
Schistosoma japonicum, egg in ascitic fluid, 651
 Schwannoma
 Malignant metastatic to lung, FNABC, 15
 Solitary, FNAC, 12
 Screening
 Cervical carcinoma in China, 341
 Cytologic, *Cryptococcus neoformans* in CSF, 151
 Gynecologic cytology, results of voluntary self-assessment, 921

- Intervals in detection of CIN III, 323
- Shock, fatal septic, following FNA of pancreatic pseudocyst, 879
- Shunts, ventricular, cytopathology of reactions, 391
- Sinus, maxillary, coexistent squamous carcinoma and aspergillosis, 73
- Sjögren's syndrome, polymorphous exudates and atypical mononucleated cells in CSF, 634
- Slides, broken, mending, 495
- Smears
- Cervical
 - Cytomorphology of *Chlamydia* infections, 683
 - Endocervical columnar cells as quality marker, 323
 - Immunoperoxidase confirmation of *Chlamydia* infections, 665
 - Papanicolaou-stained, utility for diagnosis of *Chlamydia* infection, 671
 - System for identification of *Chlamydia trachomatis*, 939
 - Cervical scraping, detected incidence of herpetic infection, 363
 - Cervicovaginal
 - Carpet beetle larval parts, 345
 - Crystalline bodies, 1035
 - Diagnosis of HSV infection by immunoperoxidase, 701
 - Hematoidin crystals, 1029
 - Histiocytes as a marker of endometrial adenocarcinoma, 317
 - Immunoperoxidase detection of HSV infection, 705
 - Ova of *Taenia* and *Enterobius vermicularis* in, 913
 - Reproducibility of cytodiagnosis of HPV infection, 692
 - Cytologic, diagnosis of molluscum contagiosum, 501
 - Endocervical, for determination of ovulation, 638
 - Gynecologic
 - Role in diagnosis and follow-up of cervical adenocarcinoma, 785
 - Significance of diagnosis of "suspicious," 795
- Papanicolaou, HSV infection confirmed by immunoperoxidase study, 695
- Papanicolaou-stained, recognition of *Pneumocystis carinii*, 714
- Soft tissue
- Alveolar soft-part sarcoma, FNAC, 559
 - Endometriosis, FNAC diagnosis, 554
 - Metastatic extraskelatal myxoid chondrosarcoma, FNABC and differential diagnosis, 562
 - Nodular fasciitis, FNAC, 562
 - Proliferative fasciitis, FNA, 882
- Specimen preparation
- CSF cells for EM, 484
 - FN aspirates, plastic embedding and dibasic staining, 477
- Specimens, cervical cytology, carpet beetle larval parts in, 345
- Sputum cytology
- Comparison of diagnostic yield from induced and delayed specimens, 950
 - Detection of *Entamoeba gingivalis*, 632
 - Detection of unsuspected *S. stercoralis* coexisting with adenocarcinoma of the lung, 628
 - Detection of unsuspected pulmonary cryptococcosis, 154
 - Study of premalignant atypias, application of visual cell profiles, 373
 - Value of provoked expectoration, 750
- Sputum cytopathology, role in detection of asbestos exposure, 960
- Staining
- Dibasic, plastic-embedded semithin sections of FN aspirates, 477
 - FN aspirates, polyvalent fixative for, 647
 - Immunoperoxidase
 - CEA in CSF, 646
 - Confirmation of *Chlamydia* in cervical smears, 665
 - Demonstration of *Entamoeba histolytica*, 414
 - HSV confirmation in Papanicolaou smears, 695
 - HSV in cervicovaginal smears, 701, 705
 - HSV keratitis, 708
 - Immunoperoxidase on Papanicolaou-stained smears, diagnosis of *Chlamydia* infection, 903
 - Papanicolaou
 - HSV in routine smears, 701
 - Recognition of *Pneumocystis carinii*, 714
 - Utility for diagnosis of *Chlamydia* infection in cervical smears, 671
 - Papanicolaou, Giemsa, immunoperoxidase, infantile chlamydial conjunctivitis, 926
 - Peroxidase-labeled antibody, CEA in cytologic specimens for LM and EM, 254
 - Prostatic acid phosphatase immunoperoxidase in cytologically positive adenocarcinomatous effusions, 274
 - Stains, silver, metastatic neuroendocrine tumors, 1053
 - Stomach, pneumatosis cystoides gastrica, associated with adenocarcinoma, 147
 - Strongyloides stercoralis*, coexisting with adenocarcinoma of lung, sputum cytology diagnosis, 628
 - Syndrome
 - Acquired immune deficiency (AIDS), cytodiagnosis of *Pneumocystis* infection by bronchoalveolar lavage, 727
 - Kartagener's, EM of transposed ciliary microtubules, 248
 - Taenia*, ova in cervicovaginal smears, 913
 - Teratoma, benign cystic rupture effusion, cytologic findings, 1015
 - Therapy monitoring
 - Bronchogenic carcinoma, use of pulmonary cytology, 924
 - Cervical and vaginal carcinoma, use of gynecologic cytology, 922
 - Gynecologic disease, peritoneal washing cytology, 922
 - Thorax, lymphoreticular tumors, FNAB evaluation, 548
 - Thymoma
 - Invasive, pleural fluid cytology, 1011

- Malignant, FNAB diagnosis with immunocytochemistry and EM, 938
- Thyroid
- Cloning of specimens, role in diagnostic cytology, 956
 - FNA evaluation, sources of diagnostic error, 953
 - Involvement by disseminated cryptococcosis, FNA, 449
- Nodules
- FNABC, 949
 - FNAB as initial diagnostic procedure, 937
 - Necrosis after FNA, 29
- Renal-cell carcinoma metastatic to, FNAC, 856
- Solitary nodule, FNAC study, 967
- Toxic goiters, carbimazole-induced malignant-appearing changes, 173
- Tumors, sensitivity and specificity of FNAC diagnosis, 850
- Thyroiditis, presentation of disseminated cryptococcosis, FNA, 449
- Trachea, congenital HSV infection, cytodiagnosis on tracheobronchial aspirate, 712
- Tuberculosis
- Bladder, urinary cytology detection, 125
 - Breast, FNA cytomorphology, 974
 - Cervical with carcinoma *in situ*, cytodiagnosis, 87
 - FNAB diagnosis, 732
- Tumor typing, study of cells in serous fluids, 753
- Tumors
- Acinic-cell, psammoma bodies in FNAC smears, 191
 - Bladder and urinary tract, diagnostic value of cytology of voided urine, 810
 - Bone, FNAC cytodiagnosis, 570
 - Breast, progesterone-receptor assay in FN aspirates, 496
 - Experimental in animals, FNA in maintenance, 947
 - Granular-cell of breast, cytology, immunohistochemistry and EM, 589
 - Granular-cell, malignant, FNAC, exfoliative cytology and EM, 593
 - Lymphoreticular of thorax, FNAB evaluation, 548
 - Malignant, identification of types and primary sites from cells in serous effusions, 753
 - Malignant islet-cell of pancreas, FNAB, 576
 - Malignant mixed mesodermal, endometrial, cytodiagnosis, 137
 - Ovarian, error sources in cytodiagnosis of peritoneal washings, 310
 - Primary amyloid of breast, FNAB, 7
 - Small-cell in children, FNAB, 461
 - Thyroid, sensitivity and specificity of FNAC diagnosis, 850
- Tunica vaginalis, mesothelioma, metastases to lung, bronchial washing cytology, 79
- Ultrastructure (see also electron microscopy)
- Adenoid cystic carcinoma arising in pleomorphic adenoma of parotid gland, 522
 - Carcinosarcoma of uterus, 602
 - Granular-cell tumor of breast, 598
 - Malignant granular-cell tumor, 593
 - Metastatic adenocarcinoma in fluids, identification of primary site, 202
 - Signet-ring-cell carcinoma of bladder, 132
- Umbilicus, nodules, FNAC findings, 948
- Urethra, clear-cell adenocarcinoma, urinary cytology, 142
- Urinary cytology
- Bladder cancers, comparison with FCM, 933
 - Carcinoma *in situ* of bladder, 117
 - Clear-cell adenocarcinoma of urethra, 142
 - Diagnostic value, 810
 - Diffuse melanosis, 1026
 - Intranuclear inclusions, 935
 - Tuberculosis of bladder, 125
- Urinary tract, lymphoma, immunocytochemical diagnosis, 827
- Urine
- Processing for both FCM and cytology, 945
 - Voided, diagnostic value of cytology, 810
- Urothelium, carcinoma *in situ*, cytodiagnosis on cystoscopic biopsy supernate, 923
- Uterus
- Carcinosarcoma, cytology and EM, 602
 - Primitive neuroectodermal tumor, Papanicolaou smear findings, 945
- Vagina, cytology during menopause, 805
- Virus (see also herpesvirus and papillomavirus)
- Infections, 185
- Visual cell profiles, in study of premalignant atypias in sputum, 373
- Warthin's tumor, FNAC, mast cells as a marker, 513
- Washing cytology, bladder, signet-ring-cell carcinoma of bladder, 132

